



**GREASEMONKEY
INFRASTRUCTURE**

Infrastructure Solutions for Active Travel



2022 Brochure



FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Veloboxes

Dimensions: W2350 x D2100 x H1500 mm (Open H2100mm)

Designed and manufactured by Grease Monkey, the Velobox offers a secure solution to long-term cycle parking and an effective way to protect bikes from tough weather conditions, vandalism and theft.

Each Velobox securely stores up to 6 bikes whilst fitting 2 units comfortably in a standard parking bay. The units can be adapted with an optional space for a child's buggy.

Secure

- Sold Secure Diamond rating
- Cycle storage for 6 bikes, secured with key and/or lock code
- Second level security available for each individual bike with chains/D locks
- Safe to use in all weather conditions

Design

- 2 units fit into a standard car parking space, catering for 12 bikes
- Modular by design, easy to add additional units
- Gas struts help lift the door, so the unit is accessible for all abilities
- Designed, manufactured and finished in Scotland, reducing our carbon footprint
- Made from fully recyclable, responsibly-sourced steel
- Custom cladding, finishing and branding options available

Installation

- Mounted onto existing tarmac or concrete surface enabling fast installation



Price: From £4,500.00 + Delivery + VAT

Velobox Adaptations

Mobility Scooter & Buggy Adaptation


Grease Monkey can adapt the Velobox to house mobility scooters, buggies and trikes within the Velobox by adapting the number of cycle bays to accommodate

E-bike Charging

- Charges 6 e-bikes
- Connects to an existing electrical source
- Can be integrated on to existing V3 + onwards Veloboxes and Cargobike Veloboxes
- Designed and finished in Scotland, reducing our carbon footprint

Parklet

- Can be integrated on to existing Veloboxes and Cargobike Veloboxes
- Half seating and half planter area
- Designed, manufactured and finished in Scotland, reducing our carbon footprint
- Promotes 'Mini-Holland' schemes in urban areas
- Made from fully recyclable, responsibly-sourced steel
- Custom cladding, finishing and branding options available
- 10 year guarantee



GREASEMONKEY
INFRASTRUCTURE

FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Veloboxes for Cargo Bikes

Dimensions: W4700 x D2100 x H1500 mm (Open H2100mm)

Designed and manufactured by Grease Monkey, the Velobox offers a secure solution to long-term cycle storage and an effective way to protect bikes, cargo bikes and e-bikes from tough weather conditions, vandalism and theft.

Secure

- Storage for 3 cargo bikes - 12 bikes secured with key and/or lock code
- Second level security using built in lock anchors for chains or D locks
- Sold Secure Diamond rating

Design

- Cargo unit fits into a standard car parking space
- Existing Veloboxes can be converted with upgrade
- Safe access with pavement side opening
- Accessible for all abilities
- Designed and manufactured in UK, reducing our carbon footprint
- Made from fully recyclable, responsibly-sourced steel
- Custom cladding, finishing and branding options available
- Can include e-Bike charging points
- 10 year guarantee



GREASEMONKEY
INFRASTRUCTURE

FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Secure Cycle Shelter – Type S

Dimensions: Modular H2100 or H2600h x W2500 x D2500 mm

Designed and manufactured by Grease Monkey, the Type S Cycle Shelter offers a secure solution to long-term cycle parking and an effective way to protect bikes from tough weather conditions, vandalism and theft.

Our Type S Cycle Shelter fits a minimum of 10 bikes. Being modular in design, additional units can be easily combined to increase bike storage by groups of 5 bikes. Options include a sedum roof, sliding or swing doors, timber cladding and various locking mechanisms.

Secure

- Mechanical combination or key door lock
- Anti crawl/climb bars

Design

- Adaptable walk-in active travel parking
- Optional sedum roof, custom cladding and branding options
- Modular design allows you to add more storage units easily
- Designed, manufactured and finished in Scotland reducing our carbon footprint
- 2.6m high option caters for 2 tier racking

Installation

- Can include e-Bike charging points if connected to an electrical source
- Customisable to incorporate built in pump and repair station



Price: POA + Delivery + VAT



GREASEMONKEY
INFRASTRUCTURE

FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Cycle Hub

Dimensions: H2700 x W2300 x D2300 mm

Designed and manufactured by Grease Monkey, the Cycle Hub offers a secure solution to long-term cycle parking and an effective way to protect bikes from tough weather conditions, vandalism and theft.

Our Cycle Hub houses a minimum of 10 bikes. Being modular in design, additional units can be easily combined to increase bike storage by groups of 6 bikes. Options include a sedum roof, timber cladding and various locking mechanisms.

Secure

- Mechanical combination or key door lock
- Anti crawl/climb bars

Design


- Adaptable active travel parking
- Optional sedum roof, custom cladding and branding options
- Modular design allows you to add more storage units easily
- Designed, manufactured and finished in Scotland reducing our carbon footprint

Installation


- Can include E-bike charging points if connected to an electrical source
- Customisable to incorporate built in pump and repair station



WEST ELEVATION (TIMBER CLADDING INDICATIVE)
SCALE: 1/10



ISOMETRIC (TIMBER CLADDING INDICATIVE)
SCALE: 1/10



2" SQUARE MESH (TIMBER CLADDING INDICATIVE)
SCALE: 1/10

Price: POA + Delivery + VAT

Bike Repair Stations

Our Bike Repair Stations offer cyclists a one-stop-shop for DIY bike maintenance. Ideal for installation on university campuses, outside offices, rail stations, on busy cycling routes or alongside one of our Veloboxes and Shelters.

Available in three different models, each bike repair station offers cyclists a way to service their bikes without buying expensive tools, as well as creating a sense of community for active travellers.

Accessibility

- DIY cycle maintenance available 24/7

Design

- Pump, tools, wheel holder and seat holder incorporated in a compact tower framework
- Galvanised and powder coated to survive all outdoor environments
- Built in Scotland reducing our carbon footprint
- Customisable branding and colours
- Easy to maintain independently

Installation

- Easy to install onto a suitable concrete surface
- Optional servicing plans available to replace lost or damaged tools and cleaning



BRS Gen 1



BRS Gen 1.5
Extra durable pump



BRS Gen 2.0
Extra durable pump
Retractable tools



GREASEMONKEY
INFRASTRUCTURE

FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Bike Repair Station Gen 1

Dimensions: H1500 mm

Our first model was built for more sheltered and secure areas.


The stand incorporates a manual pump, tool well, wheel holder and seat holder. Tools are connected using high tensile steel wire to prevent theft.

Our standard colour is Grease Monkey red or customise to your own brand colours.

Easy to install onto a suitable concrete surface.

Optional servicing plans available to replace lost or damaged tools and cleaning.

Price : £1,295.00 + Delivery + VAT



Bike Repair Station Gen 1.5

Dimensions: H1500 mm

This model was made for more exposed outdoor areas with the addition of a stainless steel ultra durable pump.


The stand incorporates a manual pump, tool well, wheel holder and seat holder. Tools are connected using high tensile steel wire to prevent theft.

Our standard colour is Grease Monkey red or customise to your own brand colours.

Easy to install onto a suitable concrete surface.

Optional servicing plans available to replace lost or damaged tools and cleaning.

Price : £1,595.00 + Delivery + VAT



Wheel holder



Seat holder

Extra durable pump

Tool well



GREASEMONKEY
INFRASTRUCTURE

FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Bike Repair Station Gen 2.0

Dimensions: H1500 mm

This model was made for outdoor areas with the addition of a stainless steel ultra durable pump and retractable tools for better storage.

The stand incorporates a manual pump, tool hub, wheel holder and seat holder. Tools are connected using high tensile steel wire to prevent theft.

Our standard colour is Grease Monkey red or customise to your own brand colours.

Easy to install onto a suitable concrete surface.

Optional servicing plans available to replace lost or damaged tools and cleaning.

Price : £1,895.00 + Delivery + VAT



Bike Racks

Our Sheffield Stands come in a range of configurations from a minimum of four bikes (two hoops). Standalone racks can hold a maximum of 12 bikes.

Accessibility

- Available as a stand-alone unit for public use
- Provides 24/7 cyclist support

Design

- Hoop design will hold a minimum of four bikes
- Galvanised steel prevents rusting in all weather conditions
- Designed and built in the UK to minimise our carbon footprint

Installation

- Easy to install onto a suitable concrete surface
- The perfect buddy for our Bike Repair Stations and outdoor pumps

Price : £PoA + Delivery + VAT



GREASEMONKEY
INFRASTRUCTURE

FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Outdoor Pump

Our outdoor bike pump offers cyclists a handy option to pump up their tyres while on the go. Ideal for installation on University campuses, outside offices, rail stations, on busy cycling routes or alongside one of our Veloboxes and Shelters. These pumps are an ideal way to encourage more people to cycle to your office, campus or in your community.

Accessibility

- Available as a stand-alone unit for public use
- Provides 24/7 cyclist support

Design

- Finished in 316 marine grade stainless steel to withstand all outdoor environments
- Designed and built in the UK to minimise our carbon footprint

Installation

- Easy to install onto a suitable concrete surface
- The perfect buddy for our Bike Repair Stations and bike racks

Price : £895.00 + Delivery + VAT



GREASEMONKEY
INFRASTRUCTURE

FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Drying Cabinet (outside ventilation)



Model H

Doors can be hinged on either the right or left side on both models

Our drying cabinet offers a drying solution for industrial workwear, sports, outdoor and leisure wear. It can also be used for domestic use for large families or as a backup in wet weather.

The electrically heated cabinet is suitable for drying most types of fabrics from heavy outdoor and industrial garments to cotton, silk and woollen items. It is also ideal for drying boots and other footwear.

We supply two versions of hanging configurations:

Model R is supplied with 3 sets of hanging rails which can slide out to assist loading of garments. The middle and lower rails are hinged to allow versatility of hanging space.

Model H is fitted with 6 double hooks fixed on the inside top part of the unit that enables long heavy items to hang freely within the cabinet. They are suitable for both garment hanging loops and coat hangers.

Benefits

- Economic drying for up to 6kg of clothing or 4 sets of cycle/outdoor clothing.
- Simple to use. Easy to clean and maintain.
- High quality air circulation fan integrated into the body ensuring material friendly drying.
- Simple to install - plugs into standard 230V mains.
- Options to adjust drying times and temperature.

Price: £2,107 + Delivery + VAT



Model R

Equivalent to 16m of hanging space



GREASEMONKEY
INFRASTRUCTURE

FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Drying Cabinet (outside ventilation)



Model R

Second and third hanging rails are hinged to allow versatility of hanging arrangements

Specifications

Dimensions: Height

1900mm
(+15mm clearance)

Width

595mm

Depth

605mm
(630mm with door pull)

Weight:

60kg

Exhaust ducting:

100mm

Heating element:

2000W

Electrical supply:

230V

Noise level:

Max 55 dB(A)

Colour:

White

Overheat cut-out protection:

Included as standard

Timer:

Manual

Installation

- Connects to mains power supply via a UK 3 pin plug located either above or to the side of the cabinet
- The unit must be fixed to a solid wall
- Cabinet door hinges can be either left or right opening
- Outside ventilation is recommended via a short ducting hose. If the room is fitted with an existing permanent extraction system, this may not be necessary
- Two spigot adaptors and a short length of hose are supplied

Price: £2,107 + Delivery + VAT



Model H

Six sets of double hooks for use with garment hanging loops or clothes hangers



Both models have three sets of door hanging rails




GREASEMONKEY
INFRASTRUCTURE


FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Drying Cabinet (outside ventilation)

Components



Dimensions



	mm
A	595
B	610
C	1900
D	297
E	348
F	227
G	52
H	450
I	73
J	1674
K	31
L	39

Installation

- Connects to mains power supply located either above or to the side of the cabinet
- The unit must be fixed to a solid wall to prevent tipping
- Cabinet door hinges can be either left or right opening
- Outside ventilation is recommended via a short ducting hose. Two spigot adaptors and a short length of hose are supplied
- Full installation instructions are included with the cabinet

Price: £2,107 + Delivery + VAT



GREASEMONKEY
INFRASTRUCTURE

FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Drying Cabinet 2.0 (eco condensating)



Condensate tray contained at the bottom of the unit

This drying cabinet offers the same benefits as our other model but is quieter and uses up to 65% less energy. It meets the low-energy requirements for eco-friendly homes and buildings.

The electrically heated cabinet is suitable for drying most types of fabrics from heavy outdoor and industrial garments to cotton, silk and woollen items. It is also ideal for drying boots and other footwear.

The Eco model is supplied with 3 sets of hanging rails; the middle and lower rails are hinged to allow versatility of hanging space. The inside door panel contains two glove hanging rails.

Benefits

- Economic drying for up to 4kg of clothing.
- Simple to use. Easy to clean and maintain.
- High quality air circulation fan integrated into the body ensuring material friendly drying.
- Heat pump technology - no ventilation ducting required.
- Two humidity controlled automatic programs.
- Simple to install - plugs into standard 230V mains.
- Options to adjust drying times and temperature.

Price: £3,900 + Delivery + VAT



GREASEMONKEY
INFRASTRUCTURE

FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Drying Cabinet 2.0 (eco condensating)



The middle and lower sets of hanging rails can be folded backwards to allow longer garments to hang freely from the top rails.

Specifications

Dimensions: Height

1930mm
(+15mm clearance)

Width

595mm

Depth

663mm
(689mm with door pull)

Weight:

95kg

Heating load:

900W

Electrical supply:

230V

Noise level:

Max 52 dB(A)

Colour:

White (with black facia and pull handle)

Overheat cut-out protection:

Included as standard

Timer:

Sensor

Installation

- Connects to mains power supply via a UK 3 pin plug located either above or to the side of the cabinet
- The unit must be fixed to a solid wall using two supplied fixing brackets
- Cabinet door hinges can be either left or right opening; right-hand hinged is standard
- Condensate water is collected in a removable catchment tank. Alternatively, the water can be diverted to an adjacent floor drain using the flexible pipe and fittings supplied

Price: £3,900 + Delivery + VAT



Lint filter in the base of the cabinet showing soft bristle cleaning brush.



Removable condensate catchment tray.



GREASEMONKEY
INFRASTRUCTURE

FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC

Bicycles and Accessories



Price: POA + Delivery + VAT

We can supply a range of push bikes and eBikes to complete your fleet.

We also offer accessories like helmets, lights, locks, pumps and repair kits.

Talk to us to discuss your needs.



Maintenance & Installation

Maintenance Plans

Grease Monkey provides a tailored maintenance package to clean and maintain any cycle infrastructure products. This service is integral to making sure your secure cycle parking and bike repair stations are in top condition. Annual maintenance is carried out quarterly on location in the form of scheduled maintenance programmes. We can also support your ad hoc repairs when required.


Installation

Our fully trained teams can provide a complete installation service of cycling infrastructure on your behalf.

Price: POA + VAT



GREASEMONKEY
INFRASTRUCTURE




FOR FURTHER INFORMATION PLEASE CONTACT
WORKSHOP@GREASEMONKEY.CC
+44 (0) 131 260 9739
GREASEMONKEY.CC


Secure Parking Management And Operation

Grease Monkey has its own inhouse booking system, key management/pricing mechanism to rent secure cycle spaces, along with a system to control access to these facilities.


Check out veloboxes.com which is our rental portal and booking system.



Home Our Products ▾ About Us Distribute With Us ContactCall Us




HOW TO APPLY




SEARCH

Visit Grease Monkey Cycle Storage and search for a space using your postcode



APPLY

Fill in the application form with your detail. If the space is full, you can apply to the waiting list



SECURE

If a space is available, our team will contact you within 48 hours to secure you the space.

[SUGGEST NEW LOCATION](#)

